

## 2014年度日本大学英語

### 解答

#### SECTION1

- 1) ②
- 2) ③
- 3) ⑤
- 4) ⑤
- 5) ①

#### SECTION2

- 6) ②
- 7) ④
- 8) ④
- 9) ③
- 10) ⑤

#### SECTION3

- 11) ③
- 12) ③
- 13) ①

14) ②

15) ①

#### SECTION4

16) ④

17) ⑤

18) ⑤

19) ②

20) ①

21) ③

22) ⑤

23) ①

24) ③

25) ①

26) ①

27) ⑤

28) ①

29) ⑤

30) ③

#### SECTION5

31) ③

32) ②

33) ⑤

34) ④

35) ①

#### SECTION6

36) ④

37) ①

38) ④

39) ①

40) ②

#### SECTION7

41) ⑤

42) ①

43) ⑤

44) ①

45) ③

### 解説

#### SECTION1

1

An American study group investigated how eating fatty fish ( ) our health.

- ①affect
- ②affected
- ③effect
- ④effected
- ⑤effected on

答え：②

○investigate/**ɪnˈvɛstəɡeɪ**/を研究する○fatty/**fˈæti**/脂っこい  
解説 **affect** A/他/Aに影響を与える、**effect**/**ɪˈfɛkt**/名/影響、他/変化をもたらす○**take effect**「影響を持つ」、**give effect to**で「影響を与える」と使うことが一般的

- ① ×/investigated が過去形であるため、時制の不一致
- ② ○/affect A の目的詞で our health、主節の investigated との時制の一致
- ③ ×/effect は名詞
- ④ ⑤×/動詞、時制は一致しているが用法にそぐわない

2

You should continue to take your prescription medicine ( ) instructed otherwise.

- ①in case of
- ②regarding
- ③unless
- ④until which
- ⑤up to

答え：③

○prescription/処方箋  
unless (you are) instructed otherwise  
you are が省略されており、unless done otherwise は頻出。他に done されない限り。

- ① ×/in case of A/A の場合、後ろには名詞がくる
- ② ×/regarding A/A に関しては、後ろには名詞
- ③ ○/文脈から接続詞で適している
- ④ ×/until which until の後には名詞、名詞句であり、不適當
- ⑤ ×/up to A/「A による」 up to you 「あなたに任せるよ」、会話文の中で頻出。

3

By signing this form, you are also consenting to these emergency procedures ( ) they be necessary.

- ①consequently
- ②except for
- ③now that
- ④owing
- ⑤should

答え：⑤

consent/に同意する procedure/手続き

① ×/結果として

② ×/except for A/A を除いて

③ ×/now that 主語+動詞 「今や～であるからには」

Now that you are older, you must do it by yourself.

もう大きくなったのだから 1人でやらなくてはならない.

④ ×/owing to A/A のために

⑤ If they should be necessary 万一それらが必要ならば,倒置になっている。theyのあとに原動詞 be は不自然であるため、助動詞が省略されていることが推測できる

4

In most cases, ( ) lymph nodes do not indicate a serious medical condition.

①a swelling

②being swollen

③swelled

④swellings

⑤swollen

答え：⑤

lymph /lɪmf/リンパ node/結び目、結節 lymph node/リンパ節 indicate/を示す

swell 腫れる 過去分詞 swelled, swollen

①×/nodes で複数になっているため、不適當

②×/文節にそぐわない

③ ×/過去分詞でリンパ節を裝飾するが、一般的に swollen lymph であるため不適當

④×/文法的に不適當

⑤ swollen lymph nodes で腫れたリンパ節

5

A preventive approach in patients ( ) possible in the future.

①at high cardiovascular risk might be

②high at cardiovascular risk might be

③might be at high cardiovascular risk

④might be at risk high cardiovascular

⑤risk at high cardiovascular might be

答え：①

○preventive/予防の ○approach in/への取り組み ○cardiovascular/心循環系の

① ○/patients (who are )at high cardiovascular risk might be

となり文章が成立する

② ～⑤文章として成り立たないため、不適當

## SECTION2

6

**I would really appreciate if you could give me a call back at your earliest convenience.**

①would really

②appreciate if

③could give

④a call back

⑤at your

答え：②

① 正しい/I would (really) appreciate

② 誤り/appreciate (it) if you could

appreciate A/A を感謝する

appreciate は節を目的語にできないため、形式目的語の it が必要

③正しい/could で丁寧な言い方

④ 正しい/a call back/「折り返しの電話」

⑤正しい/at your convenience/「あなたの都合のいい時に」

7

**In your introduction, you should establish your credibility by showing that your qualified to talk about the subject**

①In your

②establish your

③by showing

④your qualified

⑤about the

答え：④

○credibility/信用性

① ～ ②正しい

- ③正しい/show that S+V となるため正しい。by showing that で名詞句になっている。
- ④誤り/用法が S+be 動詞+qualified to do であるため、誤り。  
正しくは、you are qualified to talk となる。  
show that S+V
- ⑤talk about A/「A について話す」

8

Japan has the highest life expectancy at birth and boasts one of lowest infant mortality rates in the world for a while spending half as much on health care as do Americans.

- ①highest life  
②expectancy at  
③and boasts  
④for a while  
⑤half as

答え：④

○life expectancy/ 平均余命 ○infant mortality/乳児死亡率

- ① ②正しい/life expectancy の最上級の装飾 the highest で正しい  
③正しい/Japan を主語とり、and で has と並列となるため、三人称複数形  
④誤り/while doing で「～する一方」、for a while は前置詞句で「しばらくの間」  
⑤正しい/比較 half as～as 「～の半分」

9

Providing linguistically and culturally appropriate health care services are crucial to ensuring high-quality care, and is associate with achieving improved patient outcomes

- ①Providing linguistically  
②culturally appropriate  
③are crucial  
④to ensuring  
⑤and is

答え：③

○linguistically/言語的に ○appropriate/適切な ○crucial/重要である ○be associated with/を連想する

- ①正しい/Providing linguistically で動名詞句と副詞で正しい  
②正しい/and で並列しており、culturally は正しい。appropriate health で health を形容

しているので正しい。

- ③ 誤り/動名詞句が主語なので複数形は誤り。正しくは単数形の is
- ④正しい/be crucial to do であるため正しい。
- ⑤正しい/他の述語と同様に動名詞句を装飾であるので、単数形で正しい。

10

The goal of our palliative care service is to provide comprehensive and coordinated support to terminally ill patients and to be a center of excellent in end-of-life care.

- ①care service
- ②to provide
- ③coordinated support
- ④be a
- ⑤excellent in

答え：⑤

○palliative/苦痛を軽減する ○comprehensive/理解力のある、包括的な

- ① 正しい
- ② 正しい/be to do で目的を表す
- ③ 正しい/support を形容するために過去分詞系
- ④ 正しい/to のあとなので原型
- ⑤ 誤り/of の後には名詞が必要であるため、誤り。center of excellence が正しい。

### SECTION3

11

I would be most ( ) if you could send me further information about the program.

- ①annoyed
- ②deliberate
- ③grateful
- ④irritable
- ⑤respected

答え：③

- ①「迷惑する」
- ②「慎重な」
- ③「感謝する(=thankful)」
- ④「苛々する」
- ⑤「尊敬される」

12

Fifth-year medical students need to ( ) in their completed application forms by the end of October.

- ①arrive
- ②finish
- ③hand
- ④leave
- ⑤meet

答え：③

- ①「到着する」
- ②「終える」
- ③hand in (=submit) 「を提出する」
- ④「離す」
- ⑤「合わせる」

13

I was wondering if I could ( ) you a favor. Would you mind paraphrasing the questions into simpler expressions so that I can understand them more easily?

- ①ask
- ②do
- ③give
- ④show
- ⑤take

答え：①

- ①ask 人 a favor/「人にお願いをする」
- ②do 人 a favor/「人の願いをきく」

14

To whom ( ):

With this letter, I proudly recommend Mr James Anderson, a fifth-year medical student at our institution, as highly qualified candidate for the exchange program in your department.

- ①it may be concerned
- ②it may concern
- ③may be concerned with
- ④may be concerning

⑤may concern

答え：②

To whom it may concern/「関係者各位」ビジネスレターの決まり文句

15

The evolution of cardiac care over the past 50 years has been ( ) to witness.

①breathtaking

②countermeasures

③full-fledged

④in hindsight

⑤rocket science

答え：①

○cardiac/心臓病の cardiac arrest/心臓停止. ○witness/を目撃する

①「息をのむ」

②「対抗策」

③「一人前の」

④「後知恵で」

⑤「ロケット科学、難しいこと」

## SECTION4

本文は省略

16 . .

①born

②did

③gave

④had

⑤was

答え：④

have a reputation as(of) A/「A という評判がある」

17

①got

②had

③have

④suffer

⑤with



答え：⑤

patient with A/「A 病の患者」

18

①bring for

②hope in

③order out

④treat to

⑤wish on

答え：⑤

①bring for A/「A をもたらす」

②hope in A/「A を願う」

③order out /「注文する」

④treat to A/「A を扱う」

⑤wish A on B/「A を B に望む」

文脈に適さないため、②、⑤、意外は誤り。

hope と wish の違いは、hope は実現可能性の高い願望を表し、wish は実現可能性の低い願望を表す。特にかっこの前に would があり実現可能性がかなり低いことを表しており、文脈的に実際実現した願いなどではないため、⑤が正解

19

①after

②because

③however

④moreover

⑤proportionately

答え：②

①、②接続詞であり、文脈より②が正解

③～⑤副詞は文をつなげないため、不正解。

20

①difficult

②easy

③joyful

④simple

⑤thrilled

答え：①

①、⑤以外はポジティブなため、後ろの文脈と合わないため誤り。

①difficult patient/「慢性疲労患者」

⑤thrilled/「ぞくぞくする」

21

①close by

②in

③rejected by

④returned with

⑤used to

答え：③

have で経験を並列しているため、bad experience と同様にネガティブな選択肢である rejected by 「拒絶された」が正解。

22

①in my own

②of

③on

④the

⑤with

答え：⑤

②experience of A/「A の経験」 medical care の経験は抽象的であるため、正解ではない

⑤experience with A/「A に関する経験」

23

①come to

②expect

③get

④lead

⑤leave to

答え：①

①分詞構文 fully prepared for you to join the long list は they を装飾する

②expect that SV では V が過去形になることはないので、誤り

24

- ①are
  - ②by
  - ③of
  - ④scaring
  - ⑤with
- 答え：③

the list of A 「A の一覧表」

25

- ①disappoint
  - ②get rid
  - ③pass out
  - ④sneek
  - ⑤try out
- 答え：①

①文脈よりネガティブな表現である disappoint が正解  
②get rid of A 「A を取り除く」  
④sneek

26

- ①early on
  - ②quickly in
  - ③soon on
  - ④speedily
  - ⑤start
- 答え：①

①「早期に」  
コロケーションより、類似した意味を持つが①が正解

27

- ①any more
  - ②anything
  - ③business
  - ④bypass
  - ⑤justice to
- 答え：⑤

- ④「迂回路、バイパス手術」
- ⑤do justice to A「Aを正当に評価する」

28

- ①complicated
- ②complimented
- ③double
- ④first
- ⑤understood

答え：①

20のpatientと同じ単語があり、同一の患者を指しているため、difficultの言い換え。

- ①complicated「複雑な」が正解。
- ②「お世辞を言われた」

29

- ①be
- ②had
- ③is
- ④was
- ⑤were

答え：⑤

theyがあるため、②、⑤の選択肢になり、後ろのbringの前におけるのは⑤wereで過去分詞のみで⑤が正解

30

- ①missing something
- ②mistaking it
- ③no way
- ④problem
- ⑤warning

答え：③

- ①、③はthere仮主語で過去進行形は取れない
- ④、⑤は冠詞が必要

## SECTION5

### Conversation 1

本文省略

31

Which of the following is true about the conversation above?

- ①The doctor is not concerned about the patient's symptoms.
- ②The doctor wants to change the patient's medication to avoid adverse effects.
- ③The patient is concerned about losing consciousness while driving.
- ④The patient is taking this medication to improve his lightheadedness.
- ⑤The patient went to see the doctor because he is in pain now.

答え：③

○prescribe/を処方する ○lightheaded/「飲みすぎ、熱でふらふらする」 ○bent/「曲げる」  
○last/「続く」 ○dosage/1 回分の投薬量、適量

- ①symptoms/「症状」 not が不適
- ②adverse effects/「副作用」 change ではなく reduce
- ③consciousness/「意識」 患者の 3 度目の発言と一致するため、正解
- ④患者の 4 度目の発言より、薬の服用は痛みを抑えるためであり、誤り
- ⑤because 以下が不適

Conversation 2

本文省略

32

Which of the following is true about the conversation above?

- ①Professor Roberts feels the student should arrange a meeting with all his group simultaneously so they can agree on how to work on the project.
- ②Professor Roberts would like the student to solve the issue by himself so that he can learn how to work with different types of people.
- ③The student has too many club activities and thinks it is better to schedule the meeting right before the deadline so they can give an excellent presentation.
- ④The student insist that Professor Roberts should talk to the other students so that they agree to have a meeting.
- ⑤ The student is frustrated because his classmates are not good at delivering presentations.

答え：②

○assign/任命する ○deal with A/A を扱う

- ①arrange 「用意する」 教授は one by one 「一人一人」と述べているため、simultaneously 「同時に」は誤り
- ②教授の 3 度目の発言に一致するため、正解
- ③他の学生がクラブ活動に忙しいため誤り
- ④述べられていないため、誤り
- ⑤because 以下が述べられていないため、誤り

### Conversation 3

本文省略

33

**Which of the following is true about the conversation above?**

- ① Dr.chang is going to see Kelly because he is concerned about her abnormal development.
- ②Dr.chang refused to see Kelly and wants the parents to make an appointment at the hospital.
- ③Dr.Morris feel Kelly's fainting is not serious because she has not lost consciousness.
- ④Dr.Morris suspects Kelly's fainting may be related to a respiratory infection.
- ⑤Dr.Morris think Kelly's physical examination findings justify a consultation with Dr chang.

答え：⑤

○faint/「失神する」 ○significant/「重大な」 ○respiration/「呼吸」 ○in person/自分で

- ②refuse 「断る」
- ④respiratory 「呼吸の」
- ①abnormal sounds であるため誤り
- ②Dr.chang の 6 度目の発言と矛盾するため、誤り
- ④Dr.Morris の 4 度目の発言と矛盾するため、誤り

### Conversation 4

本文省略

34

**Which of the following is true about the conversation above?**

- ①Cindy has discharge from her brain and the doctors need to observe her tonight.
- ②Cindy was hit by a red car that didn't stop at the traffic light when she was on her way

to work.

③John said that Cindy is responsible for the accident and will be blamed by the police.

④The doctors repaired Cindy's wounds but want her to stay at the hospital tonight.

⑤The police said the accident is Cindy's fault and she feels very guilty.

答え：④

○drowsy/「眠い」 ○manage to do/「なんとか do する」 ○paramedic/「診療補助者」 ○overhear/「ふと耳にする」 ○pedestrian/「歩行者」 ○so far/「今までのところ」 ○stich/「踏み出すこと」 ○contusion/「打撲傷」 ○discharge/「束縛から解放される」

①は John の最後の発言とは異なる

②green car であり、red lamp であるため誤り

③、⑤は両者の 4 度目の発言と矛盾するため、誤り

④Cindy の 6 度目の発言に一致

#### Conversation 5

本文省略

35

Which of the following is true about the conversation above?

①The doctor thinks that the patient may need an operation but he wants to confirm the diagnosis first.

②The doctor thinks that the problem is not serious and that the patient should wait before going to work.

③The patient has been having stomach pain but it is getting better now.

④The patient's problem started after she woke up this morning.

⑤The patient's symptoms started shortly after she swallowed broken glass.

答え：①

○cramps/「腹痛、生理痛」 ○indigestion/「消化不良」 ○unbearable/「耐えられない」 ○as if/「まるで」 ○bellybutton/「へそ」 ○appendicitis/「虫垂炎」 ○inflammation/「炎症」

①医師の最後の発言に一致

②最終発言に矛盾

③getting better ではないため、患者の 6 度目の発言に矛盾

④患者の 2 度目の発言に矛盾

⑤患者の 3 度目の発言に矛盾

## SECTION 6

## 和訳

今日の公共サービスにおける一般診療委の需要の高まり

一般診療という分野は複雑で多様で、そして難しくなっている。医学における専門化現象が今までになく広がり、それに関連して技術や病院の基準が複雑になるのに伴って、有能で思いやりのある一般医の必要性が、今までになく重要になっている。

一次医療の基本のいくつかは今までと変わらない。実際、人間を襲う医学的問題の多くの質は相変わらずで、例えば、詰めの際間のとげ、ものもらい、末期疾患、さらには、ただのストレスがらみの不安といったものである。治療法や、看護の技術的アプローチの多くは普遍的で時代に左右されないものである。残念なことに、現代の一般開業医は50年前の同業者と比べると、カウンセリングや治療の技術の多くを失ってしまっている。

一般診療は依然として最も費用対効果の良い公共医療サービスであり、公共医療サービスであり、医療制度における高額で高度な技術で非人間的なサービスに対する解決策として消費者や諸官庁は今まで以上に一般開業医に期待しているという証拠がある。彼らは不適切な侵襲的検査や強力な薬物を伴うことのない、価値、満足、早期診断、全体管理を求めている。

一般診療という分野は、時として、その広さ、奥深さに圧倒される場合がある。特に、器質的側面と社会心理的側面が重なりあって区別されていない問題を抱えている患者の場合などはそうである。適切な早期診断を行い、ずっと潜伏している生命を脅かすような病気を発見するという絶えざる難題がある。

<出題された単語・熟語・文法>

○discipline/「訓練、学問分野」○competent/「有能な、資格のある」○eyelid/「まぶた」  
○counterpart/「相対物」○depersonalize/「非脱個人化」○invasive「侵害の」○potent/  
「効能のある、信用させる」○overlap/「一致する」○detect/「見つける」

36

**Regarding the cost-effectiveness of general practice, which of the following is true?**

- ① **General practice is more cost-effective because of the use of newer and stronger drugs in combination with invasive investigation.**
- ② **General practitioners are hoping to increase their value by using invasive investigations and more effective medication.**
- ③ **General practitioners tend to increase costs and favor depersonalize service in health care.**
- ④ **Providing holistic management and early diagnosis increases value and consumer satisfaction within general practice.**



⑤The use of high-technology in general practice has had a positive impact on the cost-effectiveness of government agencies.

答え：④

- ①because of 以下が第3段落第2文に矛盾
- ②by using 以下が第3段落第2文に矛盾
- ③increase 以下が記述なし
- ④第3段落第2文と一致
- ⑤記述なし

37

Regarding the phenomenon of specialization in medicine, which of the following is true?

- ①Because of the excessive specialization in medicine today, general practitioners have become more necessary than in previous times.
- ②Due to the complexity and challenging situation of medicine today, it is necessary to specialize in order to better patient care.
- ③General practice is too complex and challenging, so it is necessary for doctors to specialize in order to provide better patient care.
- ④Hospital based medicine is much more caring and important than in previous times.
- ⑤Medical specialists need more complex technology to provide more competent and effective medical care.

答え：①

- ①第1段落第2文に一致
- ②it is necessary 以下が記述なし
- ③too 以下が第2段に矛盾
- ④hospital based medicine の記述なし
- ⑤specialists についての記述なし

38

Regarding general practitioners today, which of the following is true?

- ①Contrary to the say it was 50 years ago, stress-related anxiety and terminal illnesses should not be treated by general practitioners.
- ②General practitioners today are essentially the same as their counterparts 50 year age.
- ③General practitioners today have lost counseling skills but have gained therapeutic skills compared to their counterparts 50 year age.
- ④Many of the medical problems seen by general practitioners today are similar to those

seen by medical practitioners 50 year age.

⑤The general practitioner today has more skills than 50 year ago because of the advances in medical technology.

答え：④

- ①第2段落より、should not 以下が誤り
- ②essentially the same が誤り
- ④but 以下が誤り
- ④第3段落第2文に一致するため、正しい
- ⑤has more skills が誤り

39 Regarding general practice, which of the following is true?

- ①General practice focuses on establishing an early diagnosis and ruling out serious disease.
- ②General practice is a highly focuses and specialized discipline due to the specificity of the cases managed by the general practitioner.
- ③General practice is not suitable for treating serious disease and should be applied only to non-specific conditions.
- ④General practice is unspecific and does not need to consider life-threatening disease.
- ⑤General practice should focus on making a clear distinction between organic and psychosocial disease.

答え：①

- ①最終文に一致するため、正解
- ②highly focused and specialized が誤り
- ③only 以下が誤り
- ④does not need to consider が誤り
- ⑤should focus on making a clear distinction が誤り

40

Which of the following titles would be most suitable for this text?

- ①The improvement of hospital based medicine through general practice
- ②The increasing demand for general practitioners in today's health care
- ③The increasing need for specialists in medicine today
- ④the need for more cost-effective medical technology and treatments
- ⑤The use of more potent drugs and invasive procedures by general practitioners

答え：②

general practice が必須なので①、②、⑤になる

①hospital based medicine が誤り

⑤the use of が誤り

## SECTION7

### 和訳

#### 医者患者の意思疎通モデル

医者、患者の意思疎通、例えば、患者の尋ねてくる質問、情報を伝えたり、治療法を進めたりする時の方法は様々な形をとることができる。意思疎通のモデルを公式化することは、医者、患者の関係を考えるうえで役に立つ。しかし、これらは絵誘導的な概念である。有能で思いやりのある医者は、異なる患者に対して異なるアプローチを用いるし、それどころか、同じ患者に対しても、時期や医療状況の変化に伴って、異なるアプローチを使う場合がある。

#### 1、父権モデル

医者、患者間の父権的な関係においては、医者が最もよく知っていると考える。医者が治療法を指示し、患者は質問などせずに従うことが求められる。さらに医者はそれが患者の最善の利益になると考えられる場合は、情報を差し控えるという欠点をする場合もある。このモデルは独裁モデルとも呼ばれており、医者が質問の大半を行い、一般的に問診で支配的立場にある。

父権モデルが望ましい状況がある。緊急事態においては、医者が支配権を握って、熟考することなく、命を救う可能性のある決断をする必要がある。さらに、患者の中には自分の病気に打ちのめされているものもいるので、医者が責任を負っていると安心する。しかし、一般的に、父権的アプローチには価値観の衝突リスクがある。例えば、父権的な産科医が、分娩に脊髄麻酔を使うことを求めているのに、患者は自然分娩をしたがっているということがおこりうる。

#### 2、情報提供モデル

このモデルにおける医者は、情報を提供する。利用可能なすべてのデータは自由に提供されるが、選択は全面的に患者にゆだねられる。例えば、医者は、乳がんに対する様々な治療法の5年後生存率に関する統計を引用し、女性に、提案やそのデータからの推論を一切せず自分なりの判断を下すように求めるかもしれない。このモデルは確立された人間関係が存在せず、患者が知り合いの医者の通常の治療に戻っていくことが予定されるような、ある種の1回限りの診療には適している場合がある。そうでない場合に

は、この純粋な情報提供アプローチは患者を非現実的なほど自律的であるとみる傾向にあるからだ。

### 3、解釈型モデル

自分の患者のことをよく知るようになり、患者の生活、価値観、希望、願望といった状況を多少なりとも理解している医者は一人一人の患者固有の特徴を考慮に入れたアドバイスをより上手くすることができる。医者が選択肢を提示して話し合い、患者が参加して、その特定の患者に最適な選択肢を選ぶので、意思決定の責任を否定しているのではなく、柔軟であり、批判や他の提案を考慮することもいとわないのだ。

### 4、審議モデル

このモデルにおける医者は、情報を提示するのみならず、特定の行動方針を積極的に推奨することによって、患者の友人やカウンセラーの役割を果たす。審議アプローチは、有害な行為を改めさせようとする医者が、例えば、患者に禁煙や原料をさせようとするときに一般的に用いられる。

これらのモデルは、医者、患者間の関係について考えるための指針に過ぎない。どれか1つのモデルがほかのモデルよりも本質的に優れているというわけではなく、医者は1回の診療で患者に接する際に、4つ全てのアプローチをする場合もある。問題が生じる可能性が高いのは特定のモデルを使用する場合ではなく、医者が1つのアプローチにかたくなにしがみついている、必要で望ましいばあいですらやり方お変えられない場合である。さらに、これらのモデルは、対人間の温かさの有無を表すものではない。患者が父権的、独裁的医者のことを人間味があって、気遣い、心配してくれていると考えることは多いにありうる。実際、20世紀初頭の小さな町や田舎の医者一般的なイメージは神座の福祉のために全身全霊で臨む男性であり、女性であることはほとんどなかった。その医者は真夜中にやってきて、ベッドのそばに座り、患者の手を握る。日曜日の晩餐に招かれる。そして、自分の指示が正確に質問など挟まずに守られていることを求める。

- convey/運ぶ
- fluid/変わりやすい
- talented/有能な
- indeed/ほんとうに
- vary/多様な
- paternalistic/父権主義の
- clash/衝突
- spinal/脊髄
- childbirth/出産
- dispense/投与する
- wholly/すべての

- quote/引用する
- interference/干渉
- autonomous/自主的な
- aspiration/願望
- deliberative/思慮深い
- injurious/有害な

41

Regarding “The paternalistic model”, which off the following is FALSE?

- ①An example of this model would be a doctor who does not tell her patient that has terminal cancer due to her concern that the patient will not be able to cope with the news.
- ②The doctor assumes leadership and is in charge of making decisions for patients, while they are expected to follow the doctor’s orders.
- ③The doctor dominated the interview, asking most of the questions while the patients focus on answering them.
- ④The doctor may omit important information if she believes patients do not need to know.
- ⑤This model is the most ethical and effective for rapid decision making, especially on controversial topic, which the patient may not agree with because of his beliefs.

答え：⑤

- ①同モデルの第1段落第4文
- ②第1段落第3文
- ③第1段落最終文
- ④第1段落第4文
- ⑤the most ethical 「最も倫理的」と書かれていないため、正解

42 Regarding “The informative model”, which off the following is FALSE?

- ①Patients prefer this model because they can make better decisions by themselves, allowing the doctor to demonstrate caring and respect for their autonomy.
- ②The doctor freely provides patients with all related information about their health condition and lets them decide without interfering.
- ③The information doctors provide may include treatment options, survival expectancy, and other date.
- ④This model is not the most appropriate when the doctor wishes to create a good long term relationship with patients

⑤This model limits the doctor's personal opinions allowing patients to make decisions by themselves.

答え：①

- ①記述がないため、誤りであり、正解
- ②同モデルの第2、3文
- ③第4文
- ④最終文
- ⑤第3、4文

43

Regarding "The interpretive model", which off the following is FALSE?

- ①The doctor and patient cooperate in the decision making process, exchanging opinions and discussing different options.
- ②The doctor helps patients make their own decisions but does not take responsibility for the decisions, allowing them to bear the burden of their choices.
- ③The doctor must have a deep understanding of the patient's life style, family goals and beliefs.
- ④The doctor needs to be familiar with patients' personal belief and social circumstances.
- ⑤The doctor needs to be open-minded and accept suggestions or opinions from patients even if the doctor disagrees.

答え：②

- ①同モデルの第3文
- ②最終文に矛盾
- ③、④第2文
- ⑤第3文

44

Regarding "The deliberative model", which off the following is FALSE?

- ①In order to modify injurious behavior, the doctor asks patients' friends or counselors to advocate a particular course of action.
- ②The doctor acts as an advisor, suggesting a specific course of action to help him or her make the best decision.
- ③The doctor acts as a friend or counselor and does more than just give information to patients.

④The doctor presents all relevant information to patients and actively promotes a specific option.

⑤This model is suitable for doctors trying to change negative habits and develop a healthier lifestyle in their patients, such as losing weight.

答え：①

①第1文とは異なるため、正解

②～④同モデルの第2文

⑤最終文

45 Regarding the entire text, which of the following is FALSE?

①Doctors are expected to adapt to the situation and change their approach when suitable and should avoid being inflexible because it can cause difficulties in the doctor-patient relationship.

②Doctors can make use of many different models with each patient according to the circumstances.

③Doctors should choose a specific model for each patient, which will be maintained throughout the entire consultation in order to give the patient the best support possible.

④In the early 20<sup>th</sup> century, doctors often followed paternalistic models and were deeply committed to patients' welfare.

⑤Interpersonal warmth can be expressed regardless of the model being used by the doctor.

答え：③

①、②最終段落第2、3文

③第2、3文に矛盾

④最終文

⑤第4、5文

<出題された単語・熟語・文法>

investigate/を研究する

fatty/脂っこい

affect A/A に影響を与える

effect/名/影響、他/変化をもたらす

take effect/影響を持つ

give effect to/影響を与える

prescription/処方箋

up to A/A による

consent/に同意する

procedure/手続き

owing to A/A のために

lymph /リンパ

node/結び目、結節

- lymph node/リンパ節
- indicate/を示す
- swell 腫れる
- credibility/信用性
- life expectancy/ 平均余命
- infant mortality/乳児死亡率
- linguistically/言語的に
- appropriate/適切な
- crucial/重要である
- be associated with/を連想する
- palliative/苦痛を軽減する
- comprehensive/理解力のある、包括的な
- ask 人 a favor/人をお願いをする
- do 人 a favor/人のお願いをきく
- To whom it may concern/関係者各位
- cardiac/心臓病の
- cardiac arrest/心臓停止.
- witness/を目撃する
- have a reputation as(of) A/A という評
- patient with A/A 病の患者
- bring for A/A をもたらす
- hope in A/A を願う
- order out /注文する
- treat to A/A を扱う
- wish A on B/A を B に望む
- difficult patient/慢性疲労患者
- thrilled/ぞくぞくする
- the list of A/A の一覧表
- get rid of A/A を取り除く
- do justice to A/A を正当に評価する
- prescribe/を処方する
- lightheaded/飲みすぎ、熱でふらふらする
- bent/曲げる
- last/続く
- dosage/1 回分の投薬量、適量
- assign/任命する
- deal with A/A を扱う
- faint/失神する
- significant/重大な
- respiration/呼吸
- in person/自分で
- drowsy/眠い
- manage to do/なんとか do する
- paramedic/診療補助者
- overhear/ふと耳にする
- pedestrian/歩行者
- so far/今までのところ
- stich/踏み出すこと
- contusion/打撲傷
- discharge/束縛から解放される
- cramps/「腹痛、生理痛」
- indigestion/「消化不良」
- unbearable/「耐えられない」
- as if/「まるで」
- bellybutton/「へそ」
- appendicitis/「虫垂炎」
- inflammation/「炎症」
- discipline/「訓練、学問分野」
- competent/「有能な、資格のある」
- eyelid/「まぶた」
- counterpart/「相対物」
- depersonalize/「非脱個人化」
- invasive「侵害の」
- potent/「効能のある、信用させる」
- overlap/「一致する」
- detect/「見つける」
- convey/運ぶ
- fluid/変わりやすい
- talented/有能な
- indeed/ほんとうに
- vary/多様な



paternalistic/父権主義の

clash/衝突

spinal/脊髄

childbirth/出産

dispense/投与する

wholly/すべての

quote/引用する

interference/干渉

autonomous/自主的な

aspiration/願望

deliberative/思慮深い

injurious/有害な