# 2014年度日本大学英語

# 解答

SECTION1	14) ②	SECTION5
1) ②	15) ①	31) ③
2) ③	SECTION4	32) ②
3) ⑤	16) ④	33) (5)
4) ⑤	17) ⑤	34) <b>4</b>
5) ①	18) ⑤	35) ①
	19) ②	SECTION6
SECTION2	20) ①	36) 4
6) ②	21) ③	37) ①
7) 4	22) ⑤	38) <b>4</b> )
8) 4	23) ①	39) ①
9) ③	24) ③	40) ②
10)⑤	25) ①	SECTION7
	26) ①	41) ⑤
SECTION3	27) ⑤	42) ①
11) ③	28) ①	43) ⑤
12) ③	29) ⑤	44) ①

30) ③

45) ③

# 配点 合計100点

13) ①

 1 合計 10点
 一問 2点×5 問

 2 合計 10点
 一問 2点×5 問

 3 合計 30点
 一問 2点×15 問

 4 合計 10点
 一問 2点×5 問

 5 合計 10点
 一問 2点×5 問

 6 合計 15点
 一問 3点×5 問

 7 合計 15点
 一問 3点×5 問

# 解説

# SECTION1

1

An American study group investigated how eating fatty fish ( ) our health.

- **1**affect
- 2affected
- 3effect
- **4**effected
- **5**effected on

答え:②

○investigate/InvéstəgèI/を研究する○fatty/f'æṭI/脂っこい

解説 affect A/他/A に影響を与える、effect/Ifékt/名/影響、他/変化を もたらす〇tàke efféct「影響を持つ」、give effect to で「影響を与える」 と使うことが一般的

- ① ×/investigated が過去形であるため、時制の不一致
- ② ○/affect A の目的詞で our health、主節の investigated との時制の一致
- ③ ×/effect は名詞
- ④ ⑤×/動詞、時制は一致しているが用法にそぐわない

2

You should continue to take your prescription medicine ( ) instructed otherwise.

- ①in case of
- **2**regarding
- **3unless**
- **4** until which
- **5up** to

# 答え:③

○prescription/処方箋

unless (you are) instructed otherwise

you are が省略されており、unless done otherwise は頻出。他に done されない限り。

- ① ×/in case of A/A の場合、後ろには名詞がくる
- ② ×/regarding A/A に関しては、後ろには名詞
- ③ ○/文脈から接続詞で適している
- ④ ×/until which until の後には名詞、名詞句であり、不適当
- ⑤ ×/up to A/「A による」 up to you 「あなたに任せるよ」、会話文の中で頻出。

3

By singing this form, you are also consenting to these emergency procedures ( ) they be necessary.

- **Oconsequently**
- 2 except for
- 3 now that
- 4 owing
- (5)should

# 答え:⑤

○consent/に同意する ○procedure/手続き

- ×/結果として
- ② ×/except for A/A を除いて
- ③ ×/now that 主語+動詞 「今や~であるからには」

Now that you are older, you must do it by yourself.

- もう大きくなったのだから 1 人でやらなくてはならない.
- ④ ×/owing to A/A のために
- ⑤ O/If they should be necessary 万一それらが必要ならば,倒置になっている。they のあとに原動詞 be は不自然であるため、助動詞が省略されていることが推測できる

#### 4

In most cases, ( ) lymph nodes do not indicate a serious medical condition.

- (1) a swelling
- 2being swollen
- 3swelled
- 4swellings
- **5swollen**

# 答え:⑤

- ○lymph /límf/リンパ ○node/結び目、結節 ○lymph node/リンパ節 ○indicate/を示す
- ○swell 腫れる 過去分詞 swelled, swollen
- ①×/nodes で複数になっているため、不適当
- ②×/文節にそぐわない
- ③ ×/過去分詞でリンパ節を装飾するが、一般的に swollen lymph であるため不適当
- ④×/文法的に不適当
- ⑤ ○/swollen lymph nodes で腫れたリンパ節

# 5

A preventive approach in patients ( ) possible in the future.

- 1 at high cardiovascular risk might be
- 2 high at cardiovascular risk might be
- 3 might be at high cardiovascular risk
- 4 might be at risk high cardiovascular
- 5risk at high cardiovascular might be

# 答え:①

○preventive/予防の ○approach in/への取り組み ○cardiovascular/心循環系の

① O/patients (who are )at high cardiovascular risk might be

となり文章が成立する

② ~⑤文章として成り立たないため、不適当

# SECTION2

6

I would really appreciate if you could give me a call back at your earliest convenience.

- ①would really
- 2 appreciate if
- 3could give
- **4**a call back
- **5at** your

# 答え:②

- ① 正しい I would (really) appreciate
- ② 誤り/appreciate (it) if you could

appreciate A/A を感謝する

appreciate は節を目的語にできないため、形式目的語の it が必要

- ③正しい/could で丁寧な言い方
- ④ 正しい/a call back/「折り返しの電話」
- ⑤正しい/at your convenience/「あなたの都合のいい時に」

7

In your introduction, you should <u>establish your</u> credibility <u>by showing</u> that <u>your qualified</u> to talk <u>about the</u> subject

- ①In your
- ②establish your
- 3by showing
- 4 your qualified
- **5**about the
- 答え:④

○credibility/信用性

① ~ ②正しい

- ③正しい/show that S+V となるため正しい。by showing that で名詞句になっている。
- ④誤り/用法が S+be 動詞+qualified to do であるため、誤り。

正しくは、you are qualified to talk となる。

show that S+V

⑤talk about A/「A について話す」

8

Japan has the <u>highest life expectancy at birth and boasts</u> one of lowest infant mortality rates in the world <u>for a while spending half as much on health care as do Americans</u>.

- ①highest life
- 2 expectancy at
- 3and boasts
- 4 for a while
- (5)half as
- 答え:④
- ○life expectancy/ 平均余命 ○infant mortality/乳児死亡率
- ① ②正しい/life expectancy の最上級の装飾 the highest で正しい
- ③正しい/Japan を主語とり、and で has と並列となるため、三人称複数形
- ④誤り/while doing で「~する一方」、for a while は前置詞句で「しばらくの間」
- ⑤正しい/比較 half as~as 「~の半分」

9

<u>Providing linguistically</u> and <u>culturally appropriate</u> health care services <u>are crucial</u> to ensuring high-quality care, <u>and is</u> associate with achieving improved patient outcomes

- ①Providing linguistically
- 2 culturally appropriate
- 3are crucial
- **4** to ensuring
- 5and is
- 答え:③
- ○linguistically/言語的に ○appropriate/適切な ○crucial/重要である ○be associated with/を連想する
- ①正しい/Providing linguistically で動名詞句と副詞で正しい
- ②正しい/and で並列しており、culturally は正しい。appropriate health で health を形容

しているので正しい。

- ③ 誤り/動名詞句が主語なので複数形は誤り。正しくは単数形の is
- ④正しい/be crucial to do であるため正しい。
- ⑤正しい/他の述語と同様に動名詞句を装飾であるので、単数形で正しい。

#### 10

The goal of our palliative <u>care service</u> is <u>to provide</u> comprehensive and <u>coordinated</u> <u>support</u> to terminally ill patients and to <u>be a center of excellent in end-of-life care.</u>

- ①care service
- **2**to provide
- 3coordinated support
- 4be a
- ©excellent in

# 答え:⑤

- ○palliative/苦痛を軽減する ○comprehensive/理解力のある、包括的な
- ① 正しい
- ② 正しい/be to do で目的を表す
- ③ 正しい/support を形容するために過去分詞系
- ④ 正しい/to のあとなので原型
- ⑤ 誤り/ofの後には名詞が必要であるため、誤り。center of excellence が正しい。

# SECTION3

11

I would be most ( ) if you could send me further information about the program.

- **Dannoyed**
- **2**deliberate
- 3grateful
- **4**irritable
- **5**respected

# 答え:③

- ①「迷惑する」
- ②「慎重な」
- ③「感謝する(=thankful)」
- ④「苛々する」
- ⑤「尊敬される

4	$\sim$
- 1	٠,
_	~

Fifth-year medical students need to ( ) in their completed application forms by the end of October.

- (l)arrive
- **2**finish
- 3 hand
- 4leave
- **5**meet
- 答え:③
- ①「到着する」
- ②「終える」
- ③hand in (=submit)「を提出する」
- ④「離す」
- ⑤「合わせる」

#### 13

I was wondering if I could ( ) you a favor. Would you mind paraphrasing the questions into simpler expressions so that I can understand them more easily?

- (1)ask
- 20do
- 3 give
- 4show
- **5**take

# 答え:①

①ask 人 a favor/「人にお願いをする」

②do 人 a favor/「人のお願いをきく」

#### 14

# To whom ( ):

With this letter, I proudly recommend Mr James Anderson, a fifth-year medical student at our institution, as highly qualified candidate for the exchange program in your department.

- ①it may be concerned
- ②it may concern
- 3 may be concerned with
- 4 may be concerning

5may concern
答え:②
To whom it may concern/「関係者各位」ビジネスレターの決まり文句
15
The evolution of cardiac care over the past 50 years has been ( ) to witness.
①breathtaking
2 countermeasures
3full-fledged
<b>(4)in hindsight</b>
5rocket science
答え:①
○cardiac/心臓病の cardiac arrest/心臓停止. ○witness/を目撃する
①「息をのむ」
②「対抗策」
③「一人前の」
④「後知恵で」
⑤「ロケット科学、難しいこと」
SECTION4
本文は省略
16 .
①born
②did
3 gave
<b>4</b> had
⑤was
答え:④
have a reputation as(of) A/「A という評判がある」

17

①got

2)had

3 have

**4**suffer

**5**with

# 答え:⑤

# patient with A/「A 病の患者」

#### 18

- **1**bring for
- 2 hope in
- 3order out
- 4)treat to
- (5) wish on

# 答え:⑤

- ①bring for A / 「A をもたらす」
- ②hope in A/「A を願う」
- ③order out /「注文する」
- ④treat to A/「A を扱う」
- ⑤wish A on B/「A を B に望む」

文脈に適さないため、②、⑤、意外は誤り。

hope と wish の違いは、hope は実現可能性の高い願望を表し、wish は実現可能性の低い願望を表す。特にかっこの前に would があり実現可能性がかなり低いことを表しており、文脈的に実際実現した願いなどではないため、⑤が正解

#### 19

- **1**after
- 2 because
- 3however
- 4moreover
- ⑤proportionately

# 答え:②

- ①、②接続詞であり、文脈より②が正解
- ③~⑤副詞は文をつなげないため、不正解。

#### 20

- **①difficult**
- 2 easy
- 3joyful
- 4simple
- **5thrilled**

# 答え:①

- ①、⑤以外はポジティブなため、後ろの文脈と合わないため誤り。
- ①difficult patient/「慢性疲労患者」
- ⑤thrilled/「ぞくぞくする」

#### 21

- ①close by
- 2in
- 3rejected by
- **4**returned with
- (5) used to
- 答え:③

have で経験を並列しているため、bad experience と同様にネガティブな選択肢である rejected by「拒絶された」が正解。

#### 22

- ①in my own
- 2of
- 3on
- 4the
- **5**with

# 答え:⑤

- ②experience of A/「A の経験」 medical care の経験は抽象的であるため、正解ではない
- ⑤experience with A/「A に関する経験」

#### 23

- ①come to
- 2expect
- 3get
- **4**lead
- **5**leave to

# 答え:①

- ①分詞構文 fully prepared for you to join the long list は they を装飾する
- ②expect that SV では V が過去形になることはないので、誤り

②by
③of
<b>4</b> scaring
⑤with
答え:③
the list of A「Aの一覧表」
25
①disappoint
②get rid
③pass out
<b>4</b> sneek
⑤try out
答え:①
①文脈よりネガティブな表現である disappoint が正解
②get rid of A「A を取り除く」
4sneek
26
①early on
②quickly in
③soon on
<b>4</b> speedily
(5)start
答え:①
①「早期に」
コロケーションより、類似した意味を持つが①が正解
27
①any more
2 anything
③business
<b>4</b> bypass
⑤justice to 答え: ⑤

①are

- ④「迂回路、バイパス手術」
- ⑤do justice to A「A を正当に評価する」

#### 28

- **1** complicated
- 2 complimented
- 3 double
- 4)first
- **Sunderstood**

# 答え:①

20 の patient と同じ単語があり、同一の患者を指しているため、difficult の言いかえ。

- ①complicated「複雑な」が正解。
- ②「お世辞を言われた」

# 29

- (1)**be**
- 2 had
- $\Im$ is
- 4was
- **5**were

# 答え:⑤

they があるため、②、⑤の選択肢になり、後ろの bring の前におけるのは⑤were で過去分詞のみで⑤が正解

#### 30

- ①missing something
- 2 mistaking it
- 3no way
- 4problem
- **Swarning**

# 答え:③

- ①、③は there 仮主語で過去進行形は取れない
- ④、⑤は冠詞が必要

# SECTION5

Conversation 1

31

Which of the following is true about the conversation above?

- The doctor is not concerned about the patient's symptoms.
- The doctor wants to change the patient's medication to avoid adverse effects.
- The patient is concerned about losing consciousness while driving.
- The patient is taking this medication to improve his lightheadedness.
- The patient went to see the doctor because he is in pain now.

# 答え:③

- ○prescribe/を処方する○lightheaded/「飲みすぎ、熱でふらふらする」○bent/「曲げる」
- ○last/「続く」○dosage/1 回分の投薬量、適量
- ①symptoms/「症状」not が不適
- ②adverse effects/「副作用」change ではなく reduce
- ③consciousness/「意識」患者の3度目の発言と一致するため、正解
- ④患者の4度目の発言より、薬の服用は痛みを抑えるためであり、誤り
- ⑤because 以下が不適

# Conversation 2

本文省略

32

Which of the following is true about the conversation above?

- ① Professor Roberts feels the student should arrange a meeting with all his group simultaneously so they can agree on how to work on the project.
- ②Professor Roberts would like the student to solve the issue by himself so that he can learn how to work with different types of people.
- The student has too many club activities and thinks it is better to schedule the meeting right before the deadline so they can give an excellent presentation.
- The student insist that Professor Roberts should talk to the other students so that they agree to have a meeting.
- ⑤ The student is frustrated because his classmates are not good at delivering presentations.

#### 答え:②

○assign/任命する○deal with A/A を扱う

- ①arrange「用意する」教授は one by one「一人一人」と述べているため、simultaneously 「同時に」は誤り
- ②教授の3度目の発言に一致するため、正解
- ③他の学生がクラブ活動に忙しいため誤り
- ④述べられていないため、誤り
- ⑤because 以下が述べられていないため、誤り

#### Conversation 3

本文省略

33

Which of the following is true about the conversation above?

- ① Dr.chang is going to see Kelly because he is concerned about her abnormal development.
- ②Dr.chang refused to see Kelly and wants the parents to make an appointment at the hospital.
- ③Dr.Morris feel Kelly's fainting is not serious because she has not lost consciousness.
- Dr.Morris suspects Kelly's fainting may be related to a respiratory infection.
- ⑤Dr.Morris think Kelly's physical examination findings justify a consultation with Dr chang.

# 答え:⑤

- ○faint/「失神する」○significant/「重大な」○respiration/「呼吸」○in person/自分で
- ②refuse「断る」
- ④respiratory「呼吸の」
- ①abnormal sounds であるため誤り
- ②Dr.changの6度目の発言と矛盾するため、誤り
- ④Dr.Morris の 4 度目の発言と矛盾するため、誤り

#### Conversation 4

本文省略

34

Which of the following is true about the conversation above?

- ①Cindy has discharge from her brain and the doctors need to observe her tonight.
- 2 Cindy was hit by a red car that didn't stop at the traffic light when she was on her way

to work.

- 3 John said that Cindy is responsible for the accident and will be blamed by the police.
- (4) The doctors repaired Cindy's wounds but want her to stay at the hospital tonight.
- The police said the accident is Cindy's fault and she feels very guilty.

# 答え:④

○drowsy/「眠い」○manage to do/「なんとか do する」○paramedic/「診療補助者」○overhear/「ふと耳にする」○pedestrian/「歩行者」○so far/「今までのところ」○stich/「踏み出すこと」○contusion/「打撲傷」○discharge/「束縛から解放される」

- ①は John の最後の発言とは異なる
- ②green car であり、red lamp であるため誤り
- ③、⑤は両者の4度目の発言と矛盾するため、誤り
- ④Cindy の6度目の発言に一致

#### Conversation 5

本文省略

35

Which of the following is true about the conversation above?

- ①The doctor thinks that the patient may need an operation but he wants to confirm the diagnosis first.
- ②The doctor thinks that the problem is not serious and that the patient should wait before going to work.
- The patient has been having stomach pain but it is getting better now.
- (4) The patient's problem started after she woke up this morning.
- The patient's symptoms started shortly after she swallowed broken glass.

# 答え:①

○cramps/「腹痛、生理痛」○indigestion/「消化不良」○unbearable/「耐えられない」○ as if/「まるで」○bellybutton/「へそ」○appendicitis/「虫垂炎」○inflammation/「炎症」

- ①医師の最後の発言に一致
- ②最終発言に矛盾
- ③getting better ではないため、患者の6度目の発言に矛盾
- ④患者の2度目の発言に矛盾
- ⑤患者の3度目の発言に矛盾

# SECTION6

# 和訳

今日の公共サービスにおける一般診療委の需要の高まり

- 一般診療という分野は複雑で多様で、そして難しくなっている。医学における専門化 現象が今までになく広がり、それに関連して技術や病院の基準が複雑になるのに伴って、 有能で思いやりのある一般医の必要性が、今までになく重要になっている。
- 一次医療の基本のいくつかは今までと変わらない。実際、人間を襲う医学的問題の多くの質は相変わらずで、例えば、詰めの隙間のとげ、ものもらい、末期疾患、さらには、ただのストレスがらみの不安といったものである。治療法や、看護の技術的アプローチの多くは普遍的で時代に左右されないものである。残念なことに、現代の一般開業医は50年前の同業者と比べると、カウンセリングや治療の技術の多くを失ってしまっている。
- 一般診療は依然として最も費用対効果の良い公共医療サービスであり、公共医療サービスであり、医療制度における高額で高度な技術で非人間的なサービスに対する解決策として消費者や諸官庁は今まで以上に一般開業医に期待しているという証拠がある。彼らは不適切な侵襲的検査や強力な薬物を伴うことのない、価値、満足、早期診断、全体管理を求めている。
- 一般診療という分野は、時として、その広さ、奥深さに圧倒される場合がある。特に、 器質的側面と社会手心理的側面が重なりあって区別されていない問題を抱えている患 者の場合などはそうである。適切な早期診断を行い、ずっと潜伏している生命を脅かす ような病気を発見するという絶えざる難題がある。

# <出題された単語・熟語・文法>

○discipline/「訓練、学問分野」○competent/「有能な、資格のある」○eyelid/「まぶた」○counterpart/「相対物」○depersonalize/「非脱個人化」○invasive「侵害の」○potent/「効能のある、信用させる」○overlap/「一致する」○detect/「見つける」

#### 36

Regarding the cost-effectiveness of general practice, which of the following is true?

- ①General practice is more cost-effective because of the use of newer and stronger drugs in combination with invasive investigation.
- ② General practitioners are hoping to increase their value by using invasive investigations and more effective medication.
- ③General practitioners tend to increase costs and favor depersonalize service in health care.
- Providing holistic management and early diagnosis increases value and consumer satisfaction within general practice.

⑤The use of high-technology in general practice has had a positive impact on the costeffectiveness of government agencis.

#### 答え:④

- ①because of 以下が第3段落第2文に矛盾
- ②by using 以下が第3段落第2文に矛盾
- ③increase 以下が記述なし
- ④第3段落第2文と一致
- ⑤記述なし

#### 37

Regarding the phenomenon of specialization in medicine, which of the following is true?

- ①Because of the excessive specialization in medicine today, general practitioners have become more necessary than in previous times.
- ②Due to the complexity and challenging situation of medicine today, it is necessary to specialize in order to better patient care.
- ③General practice is too complex and challenging, so it is necessary for doctors to specialize in order to provide better patient care.
- (4) Hospital based medicine is much more caring and important than in previous times.
- ⑤ Medical specialists need more complex technology to provide more competent and effective medical care.

# 答え:①

- ①第1段落第2文に一致
- ②it is necessary 以下が記述なし
- ③too 以下が第2段に矛盾
- ④hospital based medicine の記述なし
- ⑤specialists についての記述なし

#### 38

Regarding general practitioners today, which of the following is true?

- ①Contrary to the say it was 50 years ago, stress-related anxiety and terminal illnesses should not be treated by general practitioners.
- ②General practitioners today are essentially the same as their counterparts 50 year age.
- ③General practitioners today have lost counseling skills but have gained therapeutic skills compared to their counterparts 50 year age.
- Many of the medical problems seen by general practitioners today are similar to those

seen by medical practitioners 50 year age.

⑤ The general practitioner today has more skills than 50 year ago because of the advances in medical technology.

# 答え:④

- ①第2段落より、should not 以下が誤り
- ②essentially the same が誤り
- ④but 以下が誤り
- ④第3段落第2文に一致するため、正しい
- ⑤has more skills が誤り
- 39 Regarding general practice, which of the following is true?
- ①General practice focuses on establishing an early diagnosis and ruling out serious disease.
- ②General practice is a highly focuses and specialized discipline due to the specificity of the cases managed by the general practitioner.
- ③General practice is not suitable for treating serious disease and should be applied only to non-specific conditions.
- **General** practice is unspecific and does not need to consider life-threating disease.
- ⑤General practice should focus on making a clear distinction between organic and psychosocial disease.

#### 答え:①

- ①最終文に一致するため、正解
- ②highly focused and specialized が誤り
- ③only 以下が誤り
- ④does not need to consider が誤り
- ⑤should focus on making a clear distinction が誤り

#### 40

Which of the following titles would be most suitable for this text?

- The improvement of hospital based medicine through general practice
- The increasing demand for general practitioners in today's health care
- The increasing need for specialists in medicine today
- **1** The need for more cost-effective medical technology and treatments
- (5) The use of more potent drugs and invasive procedures by general practitioners

#### 答え:②

general practice が必須なので①、②、⑤になる

- ①hospital based medicine が誤り
- ⑤the use of が誤り

# SECTION7

# 和訳

医者患者の意思疎通モデル

医者、患者の意思疎通、例えば、患者の尋ねてくる質問、情報を伝えたり、治療法を 進めたりする時の方法は様々な形をとることができる。意思疎通のモデルを公式化する ことは、医者、患者の関係を考えるうえで役に立つ。しかし、これらは絵誘導的な概念 である。有能で思いやりのある医者は、異なる患者に対して異なるアプローチを用いる し、それどころか、同じ患者に対しても、時期や医療状況の変化に伴って、異なるアプローチを使う場合がある。

#### 1、父権モデル

医者、患者間の父権的な関係においては、医者が最もよく知っていると考える。医者が治療法を指示し、患者は質問などせずに従うことが求められる。さらに医者はそれが患者の最善の利益になると考えられる場合は、情報を差し控えるという欠点をする場合もある。このモデルは独裁モデルとも呼ばれており、医者が質問の大半を行い、一般的に問診で支配的立場にある。

父権モデルが望ましい状況がある。緊急事態においては、医者が支配権を握って、 熟考することなく、命を救う可能性のある決断をする必要がある。さらに、患者の中に は自分の病気に打ちのめされているものもいるので、医者が責任を負っていると安心す る。しかし、一般的に、父権的アプローチには価値観の衝突リスクがある。例えば、父 権的な産科医が、分娩に脊髄麻酔を使うことを求めているのに、患者は自然分娩をした がっているということがおこりうる。

#### 2、情報提供モデル

このモデルにおける医者は、情報を提供する。利用可能なすべてのデータは自由に 提供されるが、選択は全面的に患者にゆだねられる。例えば、医者は、乳がんに対する 様々な治療法の5年後生存率に関する統計を引用し、女性に、提案やそのデータからの 推論を一切せず自分なりの判断を下すように求めるかもしれない。このモデルは確立さ れた人間関係が存在せず、患者が知り合いの医者の通常の治療に戻っていくことが予定 されるような、ある種の1回限りの診療には適している場合がある。そうでない場合に は、この純粋な情報提供アプローチは患者を非現実的なほど自律的であるとみる傾向に あるからだ。

#### 3、解釈型モデル

自分の患者のことをよく知るようになり、患者の生活、価値観、希望、願望といった状況を多少なりとも理解している医者は一人一人の患者固有の特徴を考慮に入れたアドバイスをより上手くすることができる。医者が選択肢を提示して話し合い、患者が参加して、その特定の患者に最適な選択肢を選ぶので、意思決定の責任を否定しているのではなく、柔軟であり、批判や他の提案を考慮することもいとわないのだ。

#### 4、審議モデル

このモデルにおける医者は、情報を提示するのみならず、特定の行動方針を積極的 に推奨することによって、患者の友人やカウンセラーの役割を果たす。審議アプローチ は、有害な行為を改めさせようとする医者が、例えば、患者に禁煙や原料をさせようと するときに一般的に用いられる。

これらのモデルは、医者、患者間の関係について考えるための指針に過ぎない。どれか1つのモデルがほかのモデルよりも本質的に優れているというわけではなく、医者は1回の診療で患者に接する際に、4つ全てのアプローチをする場合もある。問題が生じる可能性が高いのは特定のモデルを使用する場合ではなく、医者が1つのアプローチにかたくなにしがみついていて、必要で望ましいばあいですらやり方お変えられない場合である。さらに、これらのモデルは、対人間の温かさの有無を表すものではない。患者が父権的、独裁的医者のことを人間味があって、気遣い、心配してくれていると考えることは多いにありうる。実際、20世紀初頭の小さな町や田舎の医者の一般的なイメージは神座の福祉のために全身全霊で臨む男性であり、女性であることはほとんどなかった。その医者は真夜中にやってきて、ベッドのそばに座り、患者の手を握る。日曜日の晩餐に招かれる。そして、自分の指示が正確に質問など挟まずに守られていることを求める。

- ○convey/運ぶ
- 〇fluid/変わりやすい
- ○talented/有能な
- ○indeed/ほんとうに
- ○vary/多様な
- ○paternalistic/父権主義の
- ○clash/衝突
- ○spinal/脊髄
- ○childbirth/出産
- ○dispense/投与する
- ○wholly/すべての

- ○quote/引用する
- ○interference/干渉
- ○autonomous/自主的な
- ○aspiration/願望
- ○deliberative/思慮深い
- ○injurious/有害な

#### 41

Regarding "The paternalistic model", which off the following is FALSE?

- ①An example of this model would be a doctor who does not tell her patient that has terminal cancer due to her concern that the patient will not be able to cope with the news.
- ②The doctor assumes leadership and is in charge of making decisions for patients, while they are excepted to follow the doctor's orders.
- 3The doctor dominated the interview, asking most of the questions while the patients focus on answering them.
- The doctor may omit important information if she believes patients do not need to know.
- ⑤This model is the most ethical and effective for rapid decision making, especially on controversial topic, which the patient may not agree with because of his beliefs.

#### 答え:⑤

- ①同モデルの第1段落第4文
- ②第1段落第3文
- ③第1段落最終文
- ④第1段落第4文
- ⑤the most ethical「最も倫理的」と書かれていないため、正解
- 42 Regarding "The informative model", which off the following is FALSE?
- ①Patients prefer this model because they can make better decisions by themselves, allowing the doctor to demonstrate caring and respect for their autonomy.
- ②The doctor freely provides patients with all related information about their health condition and lets them decide without interfering.
- ③The information doctors provide may include treatment options, survival expectancy, and other date.
- This model is not the most appropriate when the doctor wishes to create a good long term relationship with patients

⑤This model limits the doctor's personal opinions allowing patients to make decisions by themselves.

#### 答え:①

- ①記述がないため、誤りであり、正解
- ②同モデルの第2、3文
- ③第4文
- ④最終文
- ⑤第3、4文

#### 43

Regarding "The interpretive model", which off the following is FALSE?

- ①The doctor and patient cooperate in the decision making process, exchanging opinions and discussing different options.
- ②The doctor helps patients make their own decisions but does not take responsibility for the decisions, allowing them to bear the burden of their choices.
- The doctor must have a deep understanding of the patient's life style, family goals and beliefs.
- (4) The doctor needs to be familiar with patients' personal belief and social circumstances.
- ⑤The doctor needs to be open-minded and accept suggestions or opinions from patients even if the doctor disagrees.

#### 答え:②

- ①同モデルの第3文
- ②最終文に矛盾
- ③、④第2文
- ⑤第3文

#### 44

Regarding "The deliberative model", which off the following is FALSE?

- ①In order to modify injurious behavior, the doctor asks patients' friends or counselors to advocate a particular course of action.
- ②The doctor acts as an advisor, suggesting a specific course of action to help him or her make the best decision.
- 3The doctor acts as a friend or counselor and does more than just give information to patients.

- The doctor presents all relevant information to patients and actively promotes a specific option.
- ⑤This model is suitable for doctors trying to change negative habits and develop a healthier lifestyle in their patients, such as losing weight.

# 答え:①

- ①第1文とは異なるため、正解
- ②~④同モデルの第2文
- ⑤最終文
- 45 Regarding the entire text, which off the following is FALSE?
- ① Doctors are expected to adapt to the situation and change their approach when suitable and should avoid being inflexible because it can causes difficulties in the doctorpatient relationship.
- ②Doctors can make use of many different models with each patient according to the circumstances.
- 3 Doctors should choose a specific model for each patient, which will be maintained throughout the entire consultation in order to give the patient the best support possible.
- (4) In the early 20th century, doctors often followed paternalistic models and were deeply committed to patient's' welfare.
- ⑤Interpersonal warmth can be expressed regardless of the model being used by the doctor.

答え:③	
①、②最終段落第2、3文	
③第2、3文に矛盾	
④最終文	
⑤第4、5文	
	□give effect to/影響を与える
	□prescription/処方箋
<出題された単語・熟語・文法>	□up to A/A による
□investigate/を研究する	□consent/に同意する
□fatty/脂っこい	□procedure/手続き
□affect A/A に影響を与える	□owing to A/A のために
□effect/名/影響、他/変化をもたらす	□lymph /リンパ
□take effect/影響を持つ	□node/結び目、結節

□lymph node/リンパ節	□assign/任命する	
□indicate/を示す	□deal with A/A を扱う	
□swell 腫れる	□faint/失神する	
□credibility/信用性	□significant/重大な	
□life expectancy/ 平均余命	□respiration/呼吸	
□infant mortality/乳児死亡率	□in person/自分で	
□linguistically/言語的に	□drowsy/眠い	
□appropriate/適切な	□manage to do/なんとか do する	
□crucial/重要である	□paramedic/診療補助者	
□be associated with/を連想する	□overhear/ふと耳にする	
□palliative/苦痛を軽減する	□pedestrian/歩行者	
□comprehensive/理解力のある、包括的な	□so far/今までのところ	
□ask 人 a favor/人にお願いをする	□stich/踏み出すこと	
□do 人 a favor/人のお願いをきく	□contusion/打撲傷	
□To whom it may concern/関係者各位	□discharge/束縛から解放される	
□cardiac/心臓病の	□cramps/「腹痛、生理痛」	
□cardiac arrest/心臟停止.	□indigestion/「消化不良」	
□witness/を目撃する	□unbearable/「耐えられない」	
□have a reputation as(of) A/A という評	□as if/「まるで」	
□patient with A/A 病の患者	□bellybutton/「へそ」	
□bring for A /A をもたらす	□appendicitis/「虫垂炎」	
□hope in A/A を願う	□inflammation/「炎症」	
□order out /注文する	□discipline/「訓練、学問分野」	
□treat to A/A を扱う	□competent/「有能な、資格のある」	
□wish A on B/A を B に望む	□eyelid/「まぶた」	
□difficult patient/慢性疲労患者	□counterpart/「相対物」	
□thrilled/ぞくぞくする	□depersonalize/「非脱個人化」	
□the list of A/A の一覧表	□invasive「侵害の」	
□get rid of A/A を取り除く	□potent/「効能のある、信用させる」	
□do justice to A/A を正当に評価する	□overlap/「一致する」	
□prescribe/を処方する	□detect/「見つける」	
□lightheaded/飲みすぎ、熱でふらふらす	□convey/運ぶ	
る	□fluid/変わりやすい	
□bent/曲げる	□talented/有能な	
□last/続く	□indeed/ほんとうに	
□dosage/1 回分の投薬量、適量	□vary/多様な	

□paternalistic/父権主義の	□quote/引用する
□clash/衝突	□interference/干涉
□spinal/脊髄	□autonomous/自主的な
□childbirth/出産	□aspiration/願望
□dispense/投与する	□deliberative/思慮深い
□wholly/すべての	□injurious/有害な